

Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.

RESERVE
1.96
R 31 F 3 ne

Libray

FEDERAL-STATE COOPERATIVE SNOW SURVEYS and IRRIGATION WATER FORECASTS

for
NEVADA
April 1, 1949



by
Division of Irrigation, Soil Conservation Service
United States Department of Agriculture
Nevada Agricultural Experiment Station
and
Nevada State Engineer

Data included in this report were obtained by the agencies named above in cooperation with other Federal, State, and local organizations listed on the last page of this report.

FEDERAL-STATE

COOPERATIVE SNOW SURVEYS and IRRIGATION WATER FORECASTS

for

1917-1918

1917-1918

by

Division of Irrigation, Soil Conservation Service
United States Department of Agriculture
Nevada Agricultural Experiment Station
and
Nevada State Engineer

Data included in this report were obtained by the agencies named above in cooperation with other Federal, State, and local organizations listed on the last page of this report.

FEDERAL-STATE COOPERATIVE
SNOW SURVEYS AND IRRIGATION WATER FORECASTS

FOR
NEVADA

Report Prepared


by

Clyde E. Houston, Irrigation Engineer
Division of Irrigation
Soil Conservation Service

and

H. P. Boardman--Chairman
Nevada Cooperative Snow Surveys

Division of Irrigation
Soil Conservation Service
Nevada Agricultural Experiment Station
Reno, Nevada



INDEX TO SNOW COURSES

NUMBERS	NAME	ELEVATION	NUMBERS	NAME	ELEVATION	NUMBERS	NAME	ELEVATION
SNAKE RIVER			TRUCKEE BASIN			CARSON BASIN		
1.	Bear Creek	7,800	1.(Cal.)	Granite Peak	8,200	1.(Cal.)	Carson Pass.	8,600
2.	Fox Creek	6,800	2.(Cal.)	Independence Lake.	8,450	2.(Cal.)	Poison Flat.	7,900
4.	76 Creek	7,100	3.(Cal.)	Webber Peak	8,000	3.(Cal.)	Blue Lakes	8,000
5.	Gold Creek	6,600	4.(Cal.)	Donner Summit.	6,900	NORTHERN GREAT BASIN		
6.	Big Bend	6,700	5.(Cal.)	Ward Creek	7,000	1.	Bald Mountain	6,720
OWYHEE RIVER			6.(Cal.)	Webber Lake.	7,000	2.	Disaster Peak	6,500
1.	Lower Buckskin	6,700	7.(Cal.)	Sage Hen Creek	6,500	WALKER BASIN		
2.	Upper Buckskin	7,200	8.(Cal.)	Tahoe City	6,250	1.(Cal.)	Center Mountain.	9,400
3.	Martin Creek	6,700	9.(Cal.)	Truckee #2	6,400	2.(Cal.)	Sonora Pass.	8,600
4.	Granite Peak	7,800	10.(Cal.)	Independence Creek.	6,300	3.(Cal.)	Buckeye Forks.	8,500
5.	Gold Creek	6,600	11.(Cal.)	Boca #2	5,900	4.(Cal.)	Virginia Lakes	9,500
6.	Big Bend	6,700	12.(Cal.)	Furnace Flat	6,600	5.(Cal.)	Willow Flat.	8,250
7.	Fry Canyon	6,700	13.(Cal.)	Fordyce Lake	6,500	6.(Cal.)	Buckeye Roughs	7,800
8.	Rodeo Flat	6,800	14.(Cal.)	Soda Springs	6,750	7.(Cal.)	Leavitt Meadows.	7,200
9.	Lower Jack Creek	6,800	15.(Cal.)	Independence Camp.	7,000	8.(Cal.)	Tioga Pass	9,900
10.	Upper Jack Creek	7,250	16.	Mt. Rose	9,000	TAHOE BASIN		
11.	Tremewan Ranch	5,700	17.(Cal.)	Truckee Ranger Station.	6,000	1.(Cal.)	Lake Lucille	8,400
12.	Taylor Canyon	6,200	18.(Cal.)	Donner Lake.	5,950	2.(Cal.)	Rubicon #1	8,100
UPPER HUMBOLDT RIVER			19.	Big Meadows.	8,800	3.(Cal.)	Hagens Meadow.	8,000
1.	Bear Creek	7,800	20.	Little Valley.	6,300	4.(Cal.)	Freel Bench.	7,300
2.	Fox Creek	6,800	LOWER COLORADO RIVER			5.(Cal.)	Ward Creek	7,000
4.	76 Creek	7,100	1.	Rainbow Canyon	7,800	7.(Cal.)	Upper Truckee.	6,400
5.	Gold Creek	6,600	2.	Kyle Canyon	8,200	8.(Cal.)	Tahoe City	6,250
6.	Big Bend	6,700	3.	Lee Canyon #1	8,300	9.(Cal.)	Rubicon #2	7,500
7.	Fry Canyon	6,700	4.	Lee Canyon #2	9,000	10.(Cal.)	Rubicon #3	6,700
8.	Rodeo Flat	6,800	5.	Rainbow Canyon #2.	8,100	11.(Cal.)	Richardsons #2	6,500
9.	Lower Jack Creek	6,800	6.	Mica Notch	6,000	12.(Cal.)	Echo Summit.	7,500
10.	Upper Jack Creek	7,250	7.	Dud Springs	6,000	13.	Marlette Lake.	8,000
11.	Tremewan Ranch	5,700	8.	Mathew Canyon	6,000	14.	Daggetts Pass.	7,350
12.	Taylor Canyon	6,200	9.	Pine Canyon	6,200	15.	Glenbrook #2	6,900
13.	Lower Trout Creek.	6,900	EASTERN NEVADA			16.	Mt. Rose	9,000
14.	Upper Trout Creek.	8,500	1.	Cave Creek	7,000	CENTRAL GREAT BASIN		
15.	Dorsey Basin	8,100	2.	Hager Canyon	8,500	1.	Clark Canyon.	9,000
16.	Ryan Ranch	5,800	3.	Murray Summit.	7,250	2.	Trough Springs.	8,500
17.	Dry Creek	6,500	4.	Baker #1	7,950	3.(Cal.)	McAfee Forks.	7,500
18.	Lamoille #1	7,100	5.	Baker #2	8,950	4.(Cal.)	Roberts Ranch.	8,300
19.	Lamoille #2	7,300	6.	Baker #3	9,250	5.(Cal.)	Goat Springs.	10,300
20.	Lamoille #3	7,700	7.	Berry Creek.	9,100	6.(Cal.)	Sage Hen Flats.	10,500
21.	Lamoille #4	8,000	8.	Bird Creek	7,500	7.(Cal.)	Ranger Station.	9,500
22.	Lamoille #5	8,700	LOWER HUMBOLDT RIVER			8.(Cal.)	White Mountain.	13,000
23.	Green Mountain	8,000	1.	Lower Buckskin	6,700			
24.	Harrison Pass #1	6,600	2.	Upper Buckskin	7,200			
25.	Harrison Pass #2	7,400	3.	Martin Creek	6,700			
26.	Corral Canyon.	8,500	4.	Granite Peak	7,800			
			5.	Lamano Creek	6,600			
			6.	Midas	7,200			
			7.	Big Creek Camp Ground.	6,000			
			8.	Big Creek Mine	7,000			
			9.	Upper Big Creek.	8,000			
			10.	Lower Corral	7,500			
			11.	Upper Corral	8,500			

WATER SUPPLY OUTLOOK

NEVADA

APRIL 1, 1949

* * * * *
* Irrigation season water supplies will *
* range from fair in Western to excell- *
* ent in Eastern Nevada. Snow water *
* runoff of Eastern Sierra streams will *
* vary from 70 to 95 percent of normal *
* while Humboldt Basin streams will flow *
* from 100 to 200 percent of normal. *
* * * * *

Snow stored water in the Sierra is quite heavy at the lower elevations being about twice normal while the higher elevation snow is about normal. Low snow in Humboldt Basin is about twice normal while high snow is about 135 percent.

In general precipitation throughout the State is about normal or slightly below. Heavy snow cover at this date is due to extremely low temperatures during the winter.

Groundwater levels are down in the major irrigated valleys. This shortage will be replenished by surface runoff with a resultant decrease in available surface water.

Early season streamflow has been retarded by sub-normal temperatures.

Reservoir storage is poor with total storage on April 1 about 80 percent of last year, 45 percent of the 1938-47 average, and 35 percent of the usable capacity. Lake Mead contains about 95 percent of last years storage on this date.

...the ...
...the ...
...the ...

...the ...
...the ...
...the ...

...the ...
...the ...
...the ...

...the ...
...the ...
...the ...

...the ...
...the ...
...the ...

STREAMFLOW FORECASTS APRIL 1, 1949

Forecast Stream	April-July, inclusive streamflow Thousands Acre Feet							
	Forecast 1949	1938-47 Average	1949 as % 10 yr. Avg.	1901-45 Normal	1949 as % 45yr. Norm.	Measured 1948	Runoff 1947	Runoff 1946
Owyhee River nr. Owyhee, Nev. ¹	150	82	183	80	187	54	32	88
Lamoille Crk. nr. Lamoille, Nev.	32	29	110	30	107	25	25	30
So. Fk. Humboldt nr. Elko, Nev.	160	87	184	70	218	45	44	90
Humboldt River at Palisade, Nev.	300	247	121	200	150	104	94	256
Martin Crk. nr. Paradise, Nev.	14	16	87	20	70	13	7	14
West Carson at Woodfords, Calif.	50	63	79	65	77	45	35	55
East Carson nr. Gardnerville, Nev.	180	213	85	210	86	151	121	178
Carson River nr. Carson City, Nev.	160	206	78	200	80	132	93	172
Carson River at Ft. Churchill, Nev.	135	191	71	195	69	113	80	154
West Walker nr. Coleville, Calif.	165	163	101	175	94	109	104	149
East Walker nr. Bridgeport, Calif. ²	65	77	84	75	87	32	31	56
Truckee River at Frad, Calif. ³	250	272	92	290	86	211	127	268
Lake Tahoe ⁴	359	692	52	583	62	465	611	737

1. Corrected for storage in Wildhorse Reservoir.
2. For period April through August corrected for storage in Bridgeport Reservoir.
3. Exclusive of Tahoe and corrected for storage in Donner, Independence, and Boca Reservoirs.
4. Maximum storage with gates closed.

Tahoe and Truckee Forecasts by Truckee Basin Water Committee.

STREAMFLOW FORECASTS APRIL 1, 1949

Snake River Basin in Nevada

Snow stored water on the headwaters of Salmon Falls and Bruneau River is about 150 percent of last year on this date and 150 percent of average.

Flow of Owyhee River near Owyhee, Nevada, for the period April through July is forecast at 150,000 acre feet. This is three times the flow last year or 187 percent of the 45 year normal. Wildhorse Reservoir contained 6,000 acre feet on April 1, or 20 percent of capacity. The reservoir will probably fill this season.

Upper Humboldt Basin

Snow stored water on the headwaters of Marys River, North Fork, and Susie, and Maggie Creeks is about twice normal at the low elevations and about 40 percent above at the high elevations. Snow is wind packed indicating gradual melting with late runoff.

From Trout Creek to Lamoille Creek snow stored water at the low elevations is about 200 percent of normal while there is about 115 percent at high elevations.

The April-July flow of Lamoille Creek near Lamoille is forecast at 32,000 acre feet. This is 30 percent better than last year and 10 percent above normal. South Fork of Humboldt near Elko is forecast to flow 160,000 acre feet. This is three times that available last year and twice normal.

The forecast flow of Humboldt River at Palisade for the period April-July is 300,000 acre feet or three times last year and 150 percent of normal. Cumulative discharge since October 1, is 70 percent of the median.

Lower Humboldt Basin

Snow stored water on the headwaters of Little Humboldt Basin is twice normal at low elevations and about normal at high elevations. The April-July forecast flow of Martin Creek near Paradise Valley is 14,000 acre feet. This is approximately the same as was available last year and is 70 percent of normal.

Snow stored water on the headwaters of Reese River is slightly better than last year and about 150 percent of normal.

Snow cover on Rock Creek is three times greater than normal with snow conditions similar to those in 1945.

Pitt-Taylor and Rye Patch Reservoirs contained 65,000 acre feet on April 1. This is approximately 50 percent of the storage on this date last year and 30 percent of capacity. Above average runoff from Upper Humboldt maybe sufficient to fill the reservoirs.

Northern Great Basin

Snow stored water contributing to Quinn River and McDermitt Creek is greater than normal and will cause these streams to flow about 25 percent above normal.

Eastern Nevada

Snow stored water above Steptoe and Ruby Valleys is much greater than normal. Snow surveys by the Fish and Wildlife Service at the south end of Ruby Valley indicate a snow cover twice normal.

[illegible][illegible]

The Snake Range contains 130 percent of last years snow and 120 percent of normal.

Snow water above the City of Ely is still heavy with the amount measured April 1 about twice normal or similar to that available in 1945.

Central Great Basin

Snow on the White Mountains above Fish Lake Valley in West Central Nevada is better than average. A new snow course near White Mountain Peak at 12,000 feet elevation established and surveyed in cooperation with the U.S. Navy and Deep Springs School measured 36 inches of snow and 15 inches of water.

Lower Colorado River in Nevada

Snow cover in the Mount Charleston area near Las Vegas is about 80 percent better than last year and 60 percent greater than the past 8 year average.

The heavy snow pack on Meadow Valley Wash is practically gone. Danger of high water from snow melt no longer exists.

Lake Mead contains about 1,000,000 acre feet less water than last year at this time.

Walker Basin

West Walker River near Coleville is forecast to flow 165,000 acre feet from April through July. This is 150 percent of last year and 95 percent of the 45 year normal. Cumulative discharge since October 1 is 50 percent of median. Topaz Reservoir contained 22,000 acre feet in storage on April 1. This is less than last year and only 40 percent of capacity. The Reservoir will probably fill this year.

André Malraux

West Walker River near Delaville is forecast to flow 150,000 cfs from April through July. This is 150 percent of last year and 55 percent of the 15 year normal. Cumulative discharge since October 1 is 50 percent of normal. West Reservoir contained 32,000 acre feet in storage on April 1. This is less than last year and only 40 percent of capacity. The Reservoir will probably fill this year.

2000

1. The following is a list of the names of the persons who have been identified as having been in contact with the subject of this investigation, and who have been identified as having been in contact with the subject of this investigation, and who have been identified as having been in contact with the subject of this investigation.

April through August flow of East Walker River near Bridgeport is forecast at 65,000 acre feet. This is twice the flow of last year and almost 90 percent of normal. Bridgeport Reservoir stored 20,000 acre feet on April 1, which is slightly less than last year and about 50 percent of capacity. The reservoir will probably fill this year.

Carson Basin

East Carson River near Gardnerville is forecast to flow 180,000 acre feet, which is more than was available last year and 86 percent of the long time normal. Stream discharge will probably remain above 200 second feet until the last week in July.

April through July flow of West Carson at Woodfords is forecast at 50,000 acre feet. This is slightly more than the runoff of last year and almost 80 percent of normal.

Water supplies from local drainages in Upper Carson Valley which are dependent upon low elevation snow should be better than any year since 1941.

Flow at Fort Churchill is forecast at 135,000 acre feet or 69 percent of the 45 year normal and about 20 percent greater than last year.

Lahontan Reservoir contained 197,000 acre feet on April 1 of this year compared to 189,000 last year and 248,000 for the 1938-47 average for this date. This years storage is almost 70 percent of capacity.

Tahoe Basin

April 1 storage in Lake Tahoe was 183,000 acre-feet. This is 68 percent of the stored water last year and only 36 percent of the past ten year average for this date. Truckee Basin Water Committee forecasts a maximum storage, assuming gates closed, of 359,000 acre feet. This is 77 percent of last year and 62 percent of the 45 year normal. When storage drops below 200,000 acre feet it becomes difficult to release sufficient water from the Lake to satisfy decreed rates of flow in Truckee River.

Truckee Basin

Truckee Basin Water Committee forecasts the April-July flow of Truckee River at Farad, to be 250,000 acre feet. This is 118 percent of last year and 86 percent of the 45 year normal.

STATUS OF RESERVOIR STORAGE, APRIL 1, 1949

BASIN and STREAM RESERVOIR		USABLE CAPACITY (THOUS. A.F.)	THOUSANDS ACRE FEET IN STORAGE ABOUT APR. 1				10-yr. avg. 1938-1947
			1949	1948	1947	1946	
Owyhee	Wildhorse	33	6	6	19	24	15 ^a
Lower Humboldt	Pitt Taylor	27	0	0	23	19	22 ^b
Lower Humboldt	Rye Patch	178	65	120	186	187	180 ^c
Tahoe	Tahoe	750	183	268	534	589	509
Carson	Lahontan	286	197	189	246	250	245
West Walker	Topaz	59	22	25	52	55	48
East Walker	Bridgeport	42	20	24	44	43	39
Colorado	Mead	27,935	17,735	18,620	16,383	17,776	19,229 ^d

a - Average for years 1940 - 1947

b - Average for years 1938 - 1941, 1945 - 1947

c - Average for years 1943 - 1947

d - Average for years 1939 - 1947

NEVADA SNOW SURVEYS APRIL 1, 1949

LOCATION		SNOW COVER MEASUREMENTS							
		Water Content(inches)				Past Record			
DRAINAGE BASIN and SNOW COURSE	Number	Sec. Twp. Rge. Elev.	Date of Survey	Snow Depth (inches)	1949	1948	1947	Years of Record	Av. Water Content (inches)
SNAKE RIVER									
Bear Creek	1	31 46N 58E 7800	3/30	77.2	24.4	20.0	15.0	6	19.2
Fox Creek	2	33 46N 53E 6800	3/29	41.5	13.9	7.6	2.8	12	8.0
76 Creek	4	6 44N 58E 7100	No	Survey		11.3	6.7	3	11.1
Gold Creek	5	31 45N 56E 6600	3/28	28.9	9.5	5.8	0	9	5.8
Big Bend	6	30 45N 56E 6700	3/28	42.4	15.2	8.3	3.6	21	9.1
OWYHEE RIVER									
Lower Buckskin	1	25 45N 39E 6700	4/3	39.5	14.2	10.2	0	8	7.5
Upper Buckskin	2	11 45N 39E 7200	4/4	29.6	9.1	10.4	1.4	13	11.1
Martin Creek	3	18 44N 40E 6700	4/2	26.3	8.6	9.7	1.1	8	8.3
Granite Peak	4	22 44N 39E 7800	4/2	31.4	8.9	9.7	7.2	9	11.8
Gold Creek	5	31 45N 56E 6600	3/28	28.9	9.5	5.8	0	9	5.8
Big Bend	6	30 45N 56E 6700	3/28	42.4	15.2	8.3	3.6	21	9.1
Fry Canyon	7	31 43N 54E 6700	3/29	44.5	15.0	7.9	4.4	8	8.5
Rodeo Flat	8	36 43N 53E 6800	3/29	47.0	16.2	9.1	4.2	8	9.3
Lower Jack Creek	9	18 42N 53E 6800	3/31	15.4	4.5	4.7	0	14	4.3
Upper Jack Creek	10	9 42N 53E 7250	3/31	43.0	14.3	11.6	4.2	8	10.1
Tremewan Ranch	11	9 39N 55E 5700	3/30	13.1	4.6	0	0	7	0.1
Taylor Canyon	12	35 39N 53E 6200	3/30	29.4	8.9	0.5	0	8	3.3

NEVADA SNOW SURVEYS APRIL 1, 1949

DRAINAGE BASIN and SNOW COURSE	LOCATION		Number	Sec., Twp., Rge., Elev.	Date of Survey	Snow Depth (inches)	SNOW COVER MEASUREMENTS				Years of Record	Past Record Av. Water Content (inches)	
							Water Content (inches)		Same Approx. date				
							1949	1948		1947			
UPPER HUMBOLDT													
Bear Creek	1	31	46N	58E	7800	3/30	77.2	24.4	20.0	15.0	6	19.2	
Fox Creek	2	33	46N	58E	6800	3/29	41.5	13.9	7.6	2.8	12	8.0	
76 Creek	4	6	44N	58E	7100	No	Survey		11.3	6.7	3	11.1	
Gold Creek	5	31	45N	56E	6600	3/28	28.9	9.5	5.8	0	9	5.8	
Big Bend	6	30	45N	56E	6700	3/28	42.4	15.2	8.3	3.6	21	9.1	
Fry Canyon	7	31	43N	54E	6700	3/29	44.5	15.0	7.9	4.4	8	8.5	
Rodeo Flat	8	36	43N	53E	6800	3/29	46.9	16.2	9.1	4.2	8	9.3	
Lower Jack Creek	9	18	42N	53E	6800	3/31	15.4	4.5	4.7	0	14	4.3	
Upper Jack Creek	10	9	42N	53E	7250	3/31	43.0	14.3	11.6	4.2	8	10.1	
Tremewan Ranch	11	9	39N	55E	5700	3/30	13.1	4.6	0	0	7	0.1	
Taylor Canyon	12	35	39N	53E	6200	3/30	29.4	8.9	0.5	0	8	3.3	
Lower Trout Creek	13	28	37N	61E	6900	3/31	22.3	7.0	No Survey	0	3	1.9	
Upper Trout Creek	14	4	36N	61E	8500	3/31	77.2	28.8	"	21.5	3	30.2	
Dorsey Basin	15	28	35N	60E	8100	4/2	54.4	18.4	11.9	6.4	7	16.1	
Ryan Ranch	16	1	34N	59E	5800	3/31	4.1	2.0	0	0	7	0.6	
Dry Creek	17	5	34N	60E	6500	4/1	19.6	8.0	1.8	0	7	3.9	
Lamoille #1	18	15	32N	58E	7100	3/29	42.3	12.4	11.2	4.0	17	9.9	
Lamoille #2	19	14	32N	58E	7300	3/29	41.6	13.0	12.1	2.9	20	10.4	
Lamoille #3	20	24	32N	58E	7700	3/29	53.2	18.2	15.2	7.0	14	13.8	
Lamoille #4	21	19	32N	59E	8000	3/28	72.5	24.0	20.7	13.5	8	19.1	
Lamoille #5	22	31	32N	59E	8700	3/29	88.2	29.4	24.4	23.6	11	26.8	
Green Mountain	23	23	29N	57E	8000	No	Survey		14.1	4.4	7	14.0	
Harrison Pass #1	24	9	28N	57E	6600	3/31	23.0	9.0	5.5	0	12	5.2	
Harrison Pass #2	25	16	28N	57E	7400	3/31	30.6	11.0	7.1	0	7	4.8	
Corral Canyon	26	27	28N	57E	8500	No	Survey		17.5	14.8	7	19.5	

5 4 3 2 1 0 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 10

[illegible][illegible]

2000 年 12 月 1 日
 2000 年 12 月 1 日

[Faint handwritten notes at the bottom of the page]

NEVADA SNOW SURVEYS, APRIL 1, 1949

LOCATION	Number	Sec. Twp. Rge. Elev.	Date of Survey	Snow Depth (inches)	SNOW COVER MEASUREMENTS			
					Water Content (inches)		Past Record of Years	Av. Water Content (inches)
					1949	1948		
DRAINAGE BASIN and SNOW COURSE								
LOWER HUT FOLDT								
Lower Buckskin	1	25 45N 39E	6700	4/3	14.2	10.2	8	7.5
Upper Buckskin	2	11 45N 39E	7200	4/4	9.1	10.4	13	11.1
Martin Creek	3	18 44N 40E	6700	4/2	8.6	9.7	8	8.3
Granite Peak	4	22 44N 39E	7800	4/2	8.9	9.7	9	11.8
Lamance Creek	5	13 42N 38E	6600	4/1	11.9	5.3	4	5.9
Midas	6	18 39N 45E	7200	4/1	8.0	1.4	8	2.0
Big Creek Camp Ground	7	10 17N 43E	6000	4/3	5.4	3.5	7	2.0
Big Creek Mine	8	23 17N 43E	7000	4/3	9.5	5.1	7	3.9
Upper Big Creek	9	26 17N 43E	8000	4/3	10.3	10.5	7	9.7
Lower Corral	10	12 11N 40E	7500	4/2	2.5	3.9	7	2.1
Upper Corral	11	20 11N 41E	8500	4/2	7.9	8.7	7	6.0
EASTERN NEVADA								
Cave Creek	1	25 27N 57E	7000	3/31	24.2	14.5	8	13.4
Hager Canyon	2	34 27N 57E	8500	3/31	25.7	18.0	8	18.8
Murray Summit	3	25 18N 62E	7250	3/31	5.8	11.9	11	3.1
Baker #1	4	29 13N 69E	7950	4/5	11.6	4.2	7	6.0
Baker #2	5	30 13N 69E	8950	4/5	20.0	8.9	7	18.4
Baker #3	6	25 13N 68E	9250	4/5	20.5	14.4	7	19.9
Berry Creek	7	26 17N 65E	9100	3/30	18.9	17.0	Course	
Bird Creek	8	34 19N 65E	7500	3/29	7.3	14.2	New Course	
						6.8	New	

NEVADA SNOW SURVEYS APRIL 1, 1949

LOCATION		SNOW COVER MEASUREMENTS											
		Water Content(inches)					Past Record						
							Years of Record	Av. Water Content					
DRAINAGE BASIN and SNOW COURSE	Number	Sec.	Twp.	Rge.	Elev.	Date of Survey	Snow Depth (inches)	1949	1948	1947	Record (inches)		
LOWER COLORADO													
Rainbow Canyon	1	31	19S	57E	7800	3/29	46.1	17.1	12.6	6.4	8	12.7	
Kyle Canyon	2	26	19S	56E	8200	3/29	45.9	16.8	10.5	2.8	7	11.2	
Lee Canyon #1	3	10	19S	56E	8300	3/31	64.0	18.7	9.4	4.8	8	10.0	
Lee Canyon #2	4	9	19S	56E	9000	4/1	70.2	20.3	8.0	5.2	7	11.7	
Rainbow Canyon #2	5	6	20S	57E	8100	3/29	55.0	20.6	14.8	12.3	2	13.6	
Mathew Canyon	8	11	5S	70E	6000	4/2	2.4	0.9	New	Snow	Course		
Pine Canyon	9	11	6S	69E	6200	4/3	5.7	2.3	"	"	"		
CENTRAL GREAT BASIN													
Clark Canyon	1	8	19S	56E	9000	4/1	61.6	18.0	8.1	5.2	4	9.0	
Trough Springs	2	23	18S	55E	8500	4/3	51.8	14.3	7.2	1.6	3	5.2	
McAfee Forks (Cal.)	3	1	4S	34E	7500	4/2	12.0	5.6	0	New	Course		
Roberts Ranch (Cal.)	4	11	6S	35E	8300	3/30	3.5	1.0	0	No	Survey	2	1.1
Goat Spring (Cal.)	5	13	6S	34E	10300	3/30	26.0	8.6	0	"	"	2	2.7
Sage Hen Flats (Cal.)	6	29	5S	35E	10500	3/29	30.4	9.5	1.8	"	"	2	3.7
Ranger Station (Cal.)	7	14	5S	35E	9500	3/28	24.9	7.6	0.9	"	"	2	1.7
White Mountain (Cal.)	8	9	4S	34E	12000	3/29	35.7	15.0	New	Snow	Course		
NORTHERN GREAT BASIN													
Bald Mountain	1	17	45N	21E	6720	3/31	27.5	9.1	2.2	0	9	2.3	
Disaster Peak	2	18	47N	34E	6500	4/2	39.4	14.4	New	Snow	Course		

100

100

100

100

100

100

100

NEVADA SNOW SURVEYS APRIL 1, 1949

LOCATION		SNOW COVER MEASUREMENTS								
		Number	Sec. Twp. Rge. Elev.	Date of Survey	Snow Depth (inches)	Water Content(inches)		Years of Record	Past Record Av. Water Content (inches)	
						1949	1948			1947
DRAINAGE BASIN and SNOW COURSE										
TAHOE										
Lake Lucille (Cal.)		1	28 12N 17E	4/2	149.3	57.9	43.8	49.3	35	56.2
Rubicon #1 (Cal.)		2	6 13N 17E	4/3	122.7	45.2	26.1	41.8	33	45.4
Hagans Meadow (Cal.)		3	36 12N 18E	4/3	57.1	22.4	10.1	13.6	31	16.5
Freel Bench (Cal.)		4	36 12N 18E	4/3	40.7	16.2	6.7	4.6	19	9.9
Ward Creek (Cal.)		5	21 15N 16E	4/2	115.4	48.2	30.6	37.8	36	43.9
Upper Truckee (Cal.)		7	21 12N 18E	4/3	34.1	13.7	2.8	0.6	19	6.4
Tahoe City (Cal.)		8	6 15N 17E	4/2	46.1	22.5	5.5	0.0	38	12.9
Rubicon #2 (Cal.)		9	6 13N 17E	4/3	77.6	30.8	18.1	25.9	30	28.6
Rubicon #3 (Cal.)		10	32 14N 17E	4/3	67.6	25.5	12.4	13.1	9	20.0
Richardsons #2 (Cal.)		11	6 12N 18E	4/4	55.5	22.8	9.8	7.2	5	13.5
Echo Summit (Cal.)		12	6 11N 18E	4/1	99.5	37.2	27.2	30.1	9	38.5
Marlette Lake		13	13 15N 18E	4/5	55.4	19.0	12.6	20.5	32	23.1
Daggetts Pass		14	19 13N 19E	4/3	41.4	16.2	6.7	7.6	33	13.1
Glenbrook #2		15	13 14N 18E	4/4	38.2	14.2	8.0	10.0	7	14.2
Mt. Rose		16	7 17N 19E	4/1	78.2	27.9	13.5	28.9	39	31.1
TRUCKEE										
Granite Peak (Cal.)		1	24 19N 17E	No Survey	No Survey	No Survey		17.2	24	19.0
Independence Lake (Cal.)		2	9 18N 15E	4/3	96.6	36.6	24.8	31.7	12	41.0
Webber Peak (Cal.)		3	30 19N 14E	4/2	117.0	43.0	30.0	30.0	27	40.1
Donner Summit (Cal.)		4	25 17N 14E	3/28	101.7	42.0	24.8	24.8	38	38.6
Ward Creek (Cal.)		5	21- 15N 16E	4/2	115.4	48.2	30.9	30.9	36	43.9
Webber Lake (Cal.)		6	20 19N 14E	4/2	90.0	35.0	19.5	19.5	24	29.2

NEVADA SNOW SURVEYS APRIL 1, 1949

DRAINAGE BASIN and SNOW COURSE	LOCATION	Number	Sec.	Twp.	Rge.	Elev.	Date of Survey	Snow Depth (inches)	SNOW COVER MEASUREMENTS					Years of Record	Past Record Av. Water Content (inches)
									Water Content (inches)		1947	1948	1949		
									Same	Approx. date					
TRUCKEE (Con't.)	Sage Hen Creek (Cal.)	7	7	18N	16E	6500	4/2	52.6	20.6	6.4	9.7	12	17.6		
	Tahoe City (Cal.)	8	6	15N	17E	6250	4/2	46.1	22.5	5.5	0	38	12.6		
	Truckee #2 (Cal.)	9	22	17N	16E	6400	4/2	49.6	18.9	7.4	6.8	19	14.3		
	Independence Creek (Cal.)	10	14	19N	15E	6300	4/4	42.6	15.6	4.2	4.4	12	12.7		
	Boca #2 (Cal.)	11	28	18N	17E	5900	No	Survey		No	Survey	15	5.0		
	Furnace Flat (Cal.)	12	10	17N	13E	6600	4/4	113.7	48.5	28.7	28.6	30	43.7		
	Fordyce Lake (Cal.)	13	34	18N	13E	6500	4/5	110.4	49.6	23.0	20.7	31	37.5		
	Soda Springs (Cal.)	14	23	17N	14E	6750	3/23	87.6	36.3	19.5	23.1	20	34.3		
	Independence Camp (Cal.)	15	34	19N	15E	7000	4/2	62.5	25.0	12.1	12.7	8	20.6		
	Mt. Rose	16	7	17N	19E	9000	4/1	78.2	27.9	13.5	28.9	39	31.1		
	Truckee Ranger Sta. (Cal.)	17	10	17N	16E	6000	3/31	43.7	16.2	6.5	0	4	7.5		
	Donner Lake (Cal.)	18	14	17N	15E	5950	4/2	72.3	30.0	12.0	8.8	5	18.8		
	Big Meadows	19	15	18N	18E	8800	4/4	46.3	18.7	16.7	16.4	26	23.3		
	Little Valley	20	17	16N	19E	6300	3/31	42.6	21.7	2.6	0.3	7	8.2		
CARSON															
	Carson Pass (Cal.)	1	22	10N	18E	8600	3/26	95.3	35.4	33.4	30.5	19	36.7		
	Poison Flat (Cal.)	2	25	8N	21E	7900	4/6	54.2	20.9	8.3	9.4	7	13.7		
	Blue Lakes (Cal.)	3	30	9N	19E	8000	3/26	100.1	36.3	25.0	30.1	30	35.2		
Clear Creek	4	16	14N	19E	7300	4/3	40.2	16.3	New	Snow Course					

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

[illegible]

Center Mountain (Cal.)	1	4	3N	23E	9400	4/1	108.6	39.9	22.8	30.9	26	34.3
Sonora Pass (Cal.)	2	1	5N	21E	8800	4/5	68.1	27.0	14.1	17.9	17	24.2
Buckeye Forks (Cal.)	3	20	4N	23E	8500	3/31	66.7	22.7	12.1	16.1	18	19.4
Virginia Lakes (Cal.)	4	5	2N	25E	9500	3/25	53.8	18.5	10.4	15.9	2	13.2
Willow Flat (Cal.)	5	21	5N	23E	8250	3/29	38.5	12.2	5.5	7.9	15	10.9
Buckeye Roughs (Cal.)	6	15	4N	23E	7900	3/31	71.4	25.0	8.1	15.0	26	20.7
Leavitt Meadows (Cal.)	7	4	5N	22E	7200	4/5	32.5	11.9	3.1	1.4	19	7.7
Tioga Pass (Cal.)	8	30	1N	25E	9900	4/1	47.6	14.9	15.7	19.4	19	25.7

1948-1949

1948-1949

1948-1949

1948-1949

1948-1949

1948-1949

1948-1949

1948-1949

SNOW SURVEYORS

April 1949

V. Arzuaga	A. Lincoln
A. Barnhill	G. Martin
B. Bell	W. Mason
M. Benson	C. Matson
W. Birdsall	E. McKinnon
M. Bishop	A. Murchie
T. Blohm	B. Murphy
T. Brierley	E. Murphy, Jr.
A. Chase	E. Naanes
J. Church	G. Neuharth
P. Cowgill	M. Neuharth
E. Dillwith	E. Ford
W. Dillwith	P. Ogden
G. Doll	R. Patch
J. Dove	B. Peterson
J. Ferguson	J. Pescio
M. Follstad	W. Price
R. Gardner	E. Raiford
C. Gnevo	F. Richardson
D. Goodale	R. Ross
B. Halliday	C. Salls
E. Hance	L. Sawyer
H. Hansen	D. Schmidtlein
E. Hanson	J. Silva
R. Harrington	G. Slovik
J. Hart	B. Smith
V. Hart	L. Smith
R. Hauk	M. Steninger
J. Hess	G. Swainston
C. Houston	A. Swindlehurst
J. Hunnicutt	A. Te Selle
D. Jewett	G. Warren
K. Jones	J. Watts
C. Karplus	L. Wilkerson
J. Kingsley	J. Wilkerson
R. Kuehner	F. Woods
A. Lamson	L. Woods
R. Law	A. Wright

1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

The following organizations cooperate in the Nevada snow survey work:

FEDERAL

Soil Conservation Service
Forest Service
Weather Bureau
Bureau of Reclamation
Geological Survey
Fish and Wildlife Service
Navy

STATE

Nevada State Engineer
Nevada Agricultural Experiment Station
Nevada Agricultural Extension Service
California Division of Water Resources

MUNICIPAL

City of Bunkerville, Nevada
City of Ely, Nevada
City of Mesquite, Nevada

PUBLIC UTILITIES

Sierra Pacific Power Company
Wells Power Company
Virginia City Water Company

ORGANIZED PUBLIC AGENCIES

Truckee-Carson Irrigation District
Washoe County Water Conservation District
Walker River Irrigation District

PRIVATE ORGANIZATIONS

Deep Springs School
Kennecott Copper Corp.
Union Pacific Railroad

Other organizations and individuals furnish valuable information for the snow survey reports. Their cooperation is gratefully acknowledged.

